



EVS312-11N

EVS Series • Top or Bottom • Level Sensor

Features

- Internal fitting
- Suitable for a wide range of Chemicals
- Repeatability of operation
- Reed switch reliability

Comments

- Stem length 223.5mm
- Two Position Level Switching
- High and Low Level Switch Points
- Nylon stem and float
- M16 Fitting

Applications

- Fuel low level
- Diesel Fuel
- Low Oil Detection
- Alcohols
- Organic Solvents

Material		Cable	
Housing Material Float Material	Nylon 6.6 Glass filled Nylon 6.6	Cable Length Connection Type	3 x 0.5M single insulated Stripped Cables 18AWG, 16/0.025mm PVC insulated Yellow/Blue/Black
Contact Material	Ruthenium	Cable Type	
loat SG Operating Temperature °C Medium Iousing Colour Ioat Colour	0.74 -30 to 110 Fuel/Oil Blue Blue	Cable Colour	
Mechanical Specifications		Mounting	
Shock Vibration Maximum Pressure Float Diameter IP	50g for 11mS duration 35g up to 500Hz 4.7 Bar 22mm IP65	Thread Fitment Mounting	M16 Internal Vertical

Switching

Switch Action (Reed Switch) 2 x SPST Max Switching Voltage VDC 175 Max Switching Voltage VAC 125

Max Switching Current Amps Max Switching Load Watt

Operate Mode

Contact Form


0.4A DC/0.28A AC 5 Both switches normally closed at bottom stop

A + B

Technical Drawing

EVS Generic M16 Internal





NORTH AMERICA & EUROPE

MEAS Deutschland GmbH a TE Connectivity Company Hauert 13 D-44227 Dortmund Germany Phone: +49-(0)231-9740-0 Fax: +49-(0)231-9740-20

Email: info.de@meas-spec.com

ASIA

Measurement Specialties (China), Ltd., a TE Connectivity Company No. 26 Langshan Road Shenzhen High-Tech Park (North) Nanshan District, Shenzhen 518057 China

Tel +86 755 3330 5088 Fax +86 755 3330 5099

te.com/sensorsolutions

Measurement Specialties, Inc., a TE Connectivity company.

Measurement Specialties, MEAS, TE Connectivity, TE Connectivity (logo) and EVERY CONNECTION COUNTS are trademarks. All other logos, products and/or company names referred to herein might be trademarks of their respective owners.

The information given herein, including drawings, illustrations and schematics which are intended for illustration purposes only, is believed to be reliable. However, TE Connectivity makes no warranties as to its accuracy or completeness and disclaims any liability in connection with its use. TE Connectivity's obligations shall only be as set forth in TE Connectivity's Standard Terms and Conditions of Sale for this product and in no case will TE Connectivity be liable for any incidental, indirect or consequential damages arising out of the sale, resale, use or misuse of the product. Users of TE Connectivity products should make their own evaluation to determine the suitability of each such product for the specific application.

© 2016 TE Connectivity Ltd. family of companies All Rights Reserved.