



## **EVS722-11**

# EVS Series • Top or Bottom • Level Sensor

### **Features**

- Internal fitting
- Suitable for a wide range of Chemicals
- Repeatability of operation
- Reed switch reliability

### Comments

- Stem length 223.5mm
- Two Position Level Switching
- High and Low Level Switch Points
- Brass stem with polypropylene float
- M16 Fitting

## **Applications**

- Waste Water Level
- Sump Level
- Water high or low level
- Coolant level indication
- Boiler heating element protection

Material		Cable	
Housing Material Float Material	Brass Polypropylene	Cable Length Connection Type	3 x 0.5M single insulated Stripped Cables 18AWG, 16/0.025mm PVC insulated Yellow/Blue/Black
Contact Material	Ruthenium	Cable Type	
Float SG Operating Temperature °C Medium Housing Colour Float Colour	0.68 -30 to 80 Water Brass Charcoal	Cable Colour	
<b>Mechanical Specifications</b>		Mounting	
Shock Vibration Maximum Pressure Float Diameter IP	50g for 11mS duration 35g up to 500Hz 4.7 Bar 22mm IP65	Thread Fitment Mounting	M16 Internal Vertical
Switching		Technical Drawing	

### Switch Action (Reed Switch) 2 x SPST Max Switching Voltage VDC 175 Max Switching Voltage VAC 125


**Max Switching Current Amps** Max Switching Load Watt

**Operate Mode Contact Form** 

0.4A DC/0.28A AC Both switches normally

closed at bottom stop A + B





### **NORTH AMERICA & EUROPE**

MEAS Deutschland GmbH a TE Connectivity Company Hauert 13 D-44227 Dortmund Germany Phone: +49-(0)231-9740-0 Fax: +49-(0)231-9740-20

Email: info.de@meas-spec.com

### **ASIA**

Measurement Specialties (China), Ltd., a TE Connectivity Company No. 26 Langshan Road Shenzhen High-Tech Park (North) Nanshan District, Shenzhen 518057 China

Tel +86 755 3330 5088 Fax +86 755 3330 5099

### te.com/sensorsolutions

Measurement Specialties, Inc., a TE Connectivity company.

Measurement Specialties, MEAS, TE Connectivity, TE Connectivity (logo) and EVERY CONNECTION COUNTS are trademarks. All other logos, products and/or company names referred to herein might be trademarks of their respective owners.

The information given herein, including drawings, illustrations and schematics which are intended for illustration purposes only, is believed to be reliable. However, TE Connectivity makes no warranties as to its accuracy or completeness and disclaims any liability in connection with its use. TE Connectivity's obligations shall only be as set forth in TE Connectivity's Standard Terms and Conditions of Sale for this product and in no case will TE Connectivity be liable for any incidental, indirect or consequential damages arising out of the sale, resale, use or misuse of the product. Users of TE Connectivity products should make their own evaluation to determine the suitability of each such product for the specific application.

© 2016 TE Connectivity Ltd. family of companies All Rights Reserved.